## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/23/2013 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING			(X3) DATE SURVEY COMPLETED	
		455057				R	
		155657	B. WING			08/22/2013	
NAME OF PROVIDER OR SUPPLIER				STREET A	ADDRESS, CITY, STATE, ZIP CODE		
KINDRED TRANSITIONAL CARE AND REHAB-HARRISON				150 BEECHMONT DR			
RINDRED TRANSITIONAL CARE AND REHAB-HARRISON				CORYDON, IN 47112			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG	PREFIX (EACH CORRECTIVE ACTION S			(X5) COMPLETION DATE
{F 000}	) INITIAL COMMENTS		{F 0	00}			
		the recertification and state pleted on July 11, 2013.					
	Review Date: August 22, 2013						
	Facility number: 010597						
	Provider number: 15						
	AIM number: 200983560 Surveyor: Jodi Meyer, RN						
	KTC Harrison was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2, in regard to the paper compliance review to the recertification and state licensure survey.						
	recentification and sta	ate licerisure survey.					
							000 5 475
LABORATORY	DIRECTOR'S OR PROVIDER/	SUPPLIER REPRESENTATIVE'S SIGNATUI	RF.		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.